

Drawer 19" - Lokcable



FEATURES

Lockable storage for notebook, files, CD, disket, programming documents etc...
19" rack mount
Adjustable depth

COMPLIANCES

UL and cUL
Load Carrying Capacity: 25 kg
Surface Treatment: Fosfat coating
Painting: Ral7035 / Ral9005

STANDARDS


ISO 9001:2000
TSE:EN 61587-1 Mechanical Structures For Electronic Equipment - Tests For IEC 60917 And IEC 60297
Climatic and Environment: EN 61587-1/4.2, IEC60068-2-1, IEC60068-2-2 , IEC60068-2-30,
Flammability: EN61587-1/6.3

Material Definition and Properties, Thicknesses and Shipment Configuration

Part Definition	Material thickness	Material definition & properties	Shipment Configuration
Inner Case	1,50 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1 ea.
Outer Case	1,50 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1 ea.
C-rail	2,00 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	2ea.

Drawer 19" - Lockable

TECHNICAL DRAWINGS




Drawer		
Order No	Product Definition	Dimensions (wxdxh) mm
M44CEK2U	2U 19" drawer , lockable	483x400x88

Shipping Data				
Order No	Quantity	Shipping Dimension (palette) WxHxD	Net Weight (kg)	Gross Weight (kg)
M44CEK2U	6	550x440x605	49,680	51,000

Drawer 19" - Lockable

TECHNICAL DRAWINGS



Drawer		
Order No	Product Definition	Dimensions (wxdxh) mm
M44CEK3U	3U 19" drawer , lockable	483x400x133

Shipping Data				
Order No	Quantity	Shipping Dimension (palette) WxHxD	Net Weight (kg)	Gross Weight (kg)
M44CEK3U	3	550x430x480	32,475	33,500